



AKQUICK T150

Description : Diethanol-para-toluidine

Specifications;

 $\begin{array}{lll} \textbf{Molecular Weight} & : 195,26 \text{ g/mol} \\ \textbf{Density (@20°C)} & : 1,11 \pm 0,005 \text{ gr/cm}^3 \\ \textbf{Appearance} & : \text{Yellowish, liquid to waxy} \\ \end{array}$

Amine Number : 240 - 260 mg KOH/g

 Iodine colour
 : <10</td>

 Flash point:
 : 176 °C

 CAS Nr.
 : 3077-12-1

 EINECS/ELINCS Nr
 : 221-359-1

 UN Nr.
 : Not classified

Application :AKQUICK T150 is used as an accelerator in unsaturated polyester, vinylester, acrylic and powder

coating resins, peroxide initiated formulations.

Usage & Amount : Often pre-diluted in solvent like MMA, % total formulation 1 – 4 % (diluted 10%)

Packaging : 25 kgs PE Pail

Handling & Storage : Must be kept between +5 °C and +30 °C. Keep pails tightly closed. Store and handle in a dry, well-ventilated place, away from sources of heat, ignition and direct sunlight in original packaging. Provide grounding and venting in order to prevent static electricity build-up. Avoid any contact with air, oxidizing agents, atmospheric oxygen.

Shelf Life : 2 Year

For unopened packages at recommended storage conditions.

